

6 Literaturverzeichnis

Adams H J, Kapelle L J, Biller J, Gordon D L (1995)

Ischemic stroke in young adults.

Arch Neurol 52:491-495

Alving B M (1998)

Antiphospholipid Syndrome, Lupus Anticoagulants and Anticardiolipin Antibodies.

Thromb Haemost 52:742-748

APASS Group (1993)

Clinical, radiological, and pathological aspects of cerebrovascular disease associated with antiphospholipid antibodies.

Stroke 24:1120-1123

Arnout J (2001)

Mechanism of action of Lupus anticoagulants.

Haemostasis 21:44-49

Aron A L, Azzudin G E (1995)

Mechanisms of action of antiphospholipid antibodies in the antiphospholipid syndrome.

Int Arch Allergy Immunol 106:8-12

Asherson R A, Cervera R, Piette J-Ch, Shoenfeld Y (1996)

The Antiphospholipid Syndrom.

CRC Press, Boca Raton

Balleisen L, Assmann G, Baily J (1985)

Epidemiological study on factor VII, factor VIII and fibrinogen in industrial population:II. Baseline data on the relation to blood pressure, blood glucose, uric acid and lipid fractions.

Thromb Haemost 54:721-723

Balleisen L, Assmann G, Baily J (1985)

Epidemiological study on factor VII, factor VIII and fibrinogen in industrial population:II. Baseline data on the relation to blood pressure, blood glucose, uric acid and lipid fractions.

Thromb Haemost 54:475-479

Bamford J, Sandercock P, Dennis M, Burn J, Warlow Ch (1991)

Classification and natural history of clinically identifiable subtypes of cerebral infarction.

Lancet 337:1521-1526

Biousse V, Conard J, Brouzes C, Horellou M H (1998)

Frequency of the 20210 G--A mutation in the 3'-untranslated region of the prothrombin gene in 35 cases of cerebral venous thrombosis.

Stroke 29:1398-1400

Blank M (1991)

Induction of antiphospholipid syndrome in naive mice with mouse lupus monoclonal and human polyclonal anti-cardiolipin antibodies.

Proc Natl Acad Sci USA 88:3069-3076

Boey ML, Colaco AE, Gharavi AE (1983)

Thrombosis in systemic lupus erythematosus: Striking association with the presence of circulating lupus anticoagulant.

Br Med J 287:1021-1027

Bogousslavsky J (1992)

Ischemic Stroke In Patients Under Age 45.

Neurol Clin 10:113-124

Bogousslavsky J, Garazi S (1996)

Stroke recurrence in patients with patent foramen ovale: The Lausanne Study.

Neurology 46:1301-1305

Branch D W (1993)

Immunoglobulin-G fractions from patients with antiphospholipid antibodies cause fetal death in BALB/c mice: a model for autoimmune fetal loss.

Am J Obstet Gynecol 163:210-217

Brandt T, Dichgans J, Diener H Ch (1998)
Therapie und Verlauf neurologischer Erkrankungen.
Kohlhammer, Stuttgart Berlin Köln

Brey RL, Stallworth CL (2002)
Antiphospholipid antibodies and stroke in young women.
Stroke 33:2396-2400

Bushnell CD, Goldstein LB (2000)
Diagnostic testing for coagulopathies in patients with ischemic stroke.
Stroke 31:3067-3078

Cabiedes J, Cabral A, Alarcon-Segovia D (1995)
Clinical manifestations of the antiphospholipid syndrome in patients with systemic lupus erythematosus associate more strongly with anti- β 2-glycoprotein-I than with antiphospholipid antibodies.
J Rheumatol 22:1899-1906

Cabral A, Cabiedes J, Alarcon-Segovia D (1995)
Antibodies to phospholipid-free β 2-glycoprotein-I in patients with primary antiphospholipid syndrome.
J Rheumatol 22:1894-1898

Cohen J (1993)
Pathogenetic serum IgG anticardiolipin antibodies and the idiotypic network.
Ann Rheum Dis 52:742-748

Conley C L, Hartmann R C (1952)
A hemorrhagic disorder caused by circulating anticoagulant in patients with disseminated lupus erythematosus.
J Clin Invest 152:621-622

Crowther MA, Ginsberg JS (2003)
A comparison of two intensities of warfarin for the prevention of recurrent thrombosis in patients with the antiphospholipid antibody syndrome.
N Engl J Med 349:1133-1138

Daif A K (1998)

Anticardiolipin antibodies as an independent risk factor for stroke in young Saudis.

Funct Neurol 13:285-289

de Stefano V, Chiusolo P, Paciaroni K, Casorelli I (1998)

Prothrombin G20210A mutant genotype is a risk factor for cerebrovascular ischemic disease in young patients.

Blood 91:3562-3565

Dordevic D, Jovicic A (1998)

Increased titer of anticardiolipin antibodies represents the risk for the development of ischemic brain disease in persons below 50.

Vojnosanit Pregl 55:15-21

Ehrenforth S, Klinker S, Prodzinski D von M, Kreuz W (1999)

APC-Resistenz und venöse Thrombophilie: Molekulargenetische Prävalenzstudie in der deutschen Bevölkerung.

DMW 124:783-787

El-Kadi H S, Keil B L, de Bari V A (1995)

Analytical and clinical relationships between human IgG autoantibodies to β 2-glycoprotein I and anticardiolipin antibodies.

J Rheumatol 22:12, 2233-2237

Endres M, Masuhr F (2002)

Ist Cholesterin ein Risikofaktor für den Schlaganfall?.

Akt Neurol 29:247-253

Franklin H, Epstein R (1998)

Homocysteine and Atherothrombosis.

N Engl J Med 338:1042-1050

Galli M, Dlott J, Norbis F (2000)

Lupus anticoagulants and thrombosis: Clinical association of different coagulation and immunologic tests.

Thrombos Haemost 84:1012-1016

Galli M, Luciani D (2003)

Lupus anticoagulants are stronger risk factors for thrombosis than anticardiolipin antibodies in the antiphospholipid syndrome: a systematic review of the literature.

Blood 101:1827-1832

Ginsburg K S, Liang M H (1992)

Anticardiolipin antibodies and the risk for ischemic stroke and venous thrombosis.

Am Coll Physicians 117:997-1002

Goebell H, Wagner J (1991)

Innere Medizin mit Repetitorium.

Walter de Gruyter, Berlin New York

Greaves M, Cohen H (2000)

Guidelines on the investigation and management of the antiphospholipid syndrome.

Br J Haematol 109:704-715

Green D, Otoya J, Oriba H, Rovner R (1992)

Protein S deficiency in middle-aged women with stroke.

Neurology 42:1029-1033

Hachinski V, Graffagnino C (1996)

Lipids and Stroke.

Arch Neurol 53:303-308

Hacke W, Poeck K (2001)

Neurologie, Kapitel: Cerebrale Durchblutungsstörungen: Ischämische Infarkte.

Springer, Berlin Heidelberg New York

Halbmayer W M, Haushofer A, Schön R, Fischer M (1994)

The prevalence of poor anticoagulant response to activated protein C (APC Resistance) among patients suffering from stroke or venous thrombosis and among healthy subjects.

Blood Coagul Fibrinolysis 5:51-57

Harold P A, Jr, Bendixen B H, Kapelle J L (1993)
Classification of subtype of acute ischemic stroke.
Stroke 24:35-41

Harold P A, Jr, Kappelle J L (1995)
Ischemic stroke in young adults.
Arch Neurol 52:491-495

Hojnik M, George J, Ziporen L, Shoenfeld Y (1996)
Hart valve involvement (Libman-Sacks Endocarditis) in the antiphospholipid syndrome.
Circulation 93:1579-1587

Horbach D A, Derksen R H W M, de Grot P G (1996)
The presence of anti- β 2-glycoproteinI and anti-prothrombin antibodies and their correlations with venous and arterial thrombosis.
Ann Med Interne 147:42-43

Huong D L T, Wechsler B, Edelman P, Fournie (1993)
Postpartum cerebral infarction associated with aspirin withdrawal in the antiphospholipid antibody syndrome.
J Rheumatol 20:1229-1232

Janardhan V, Wolf PA (2004)
Anticardiolipin antibodies and risk of ischemic stroke and transient ischemic attack.
Stroke 35:736-741

Job F P, Hanrath P (1996)
Diagnostik, klinische Bedeutung und Therapie des offenen Foramen ovale.
DMW 121:919-925

Jun-Hyun Y, Chin-Sang Ch (1998)
Relation of plasma homocyst(e)ine to cerebral infarction and cerebral atherosclerosis.
Stroke 29:2478-2483

Kaps M, Allendörfer J (2002)

Herz und Hirn.

Nervenarzt 73:698-709

Khamashta M, Cuadrado M J, Mujic F, Taub N (1995)

The management of thrombosis in the antiphospholipid-antibody syndrome.

N Engl J Med 332:993-997

Khamashta M, Hughes G R V (1994)

Antiphospholipid antibodies.

Clin Rev Allergy Immunol 12:287-295

Lalouschek W, Aul S, Serles W, Schnider P (1999)

C677T MTHFR mutation and factor V Leiden mutation in patients with TIA/Minor Stroke: a Case-control study.

Thromb Res 93:61-69

Laurell A B, Nilsson I M (1957)

Hypergamma-globulinaemia, circulating anticoagulant, an false positive Wassermann reaction: a study of two cases.

J Lab Clin Med 49:694-707

Levine J S, Branch D W (2002)

The Antiphospholipid Syndrome.

N Engl J Med 346:752-763

Lokshin M D (1993)

Which patients with antiphospholipid antibody should be treated and how?.

Rheum Dis Clin North Am 19:235-247

Lokshin M D, Sammaritano L R, Schwartzman S (2000)

Validation of the Sapporo criteria for antiphospholipid syndrome.

Arthritis Rheum 43:440-443

Longstreth W T, Rosendal F R, Siscovick D S, Vos H L (1998)

Risk of stroke in young women and two thrombotic mutations: Factor V Leiden and Prothrombin gene variant (G20210A).

Stroke 29:577-580

Martinuzzo M E, Forastiero R R, Carreras L O (1995)

Anti β 2 glycoprotein I antibodies: detection and association with thrombosis.

Br J Haematol 89:397-402

McCrae K R, Feinstein D I, Cines D B (1998)

Antiphospholipid antibodies and the antiphospholipid syndrome.

Thromb Haemost 79:1339-1356

Mehndiratta M M, Bhattacharya A, Gupta M (1999)

Antiphospholipid antibodies syndrome in "Stroke in Young".

Neurology India 47:122-126

Mennen L I, Schouten E G, Grobbee D E, Kluit C (1996)

Coagulation factor VII, dietary fat and blood lipids: a review..

Thromb Haemost 76:492-499

Metz L M, Edworthy S, Mydlarsky R, Fritzler M J (1998)

The frequency of phospholipid antibodies in an unselected stroke population.

J Can Sci Neurol 25:64-69

Miyakis S, Lockshin MD, Atsumi T (2006)

International consensus statement on an update of the classification criteria for definite antiphospholipid syndrome (APS).

J Thromb Haemost 4:295-306

Muir K W, Lain B Squire, Alwan W, Lees K R (1994)

Anticardiolipin antibodies in an unselected stroke population.

Lancet 344:452-456

Mullis K B (1990)

The unusual origin of the polymerase chain reaction.

Sci Am 262:56-61,64-65

Munts A G, van Gendersen P J J, Dippel D W J, van Kooten (1998)

Coagulation disorders in young adults with acute cerebral ischaemia.

J Neurol 245:21-25

Pangborn M C (1941)

A new serologically active phospholipid from beef heart.

Proc Soc Exp Biol Med 148:484-486

Pengo V, Biasiolo A, Fior M G (1994)

Autoimmune antiphospholipid antibodies are directed against a cryptic epitope expressed when β 2-Glycoprotein I is bound to a suitable surface.

Thromb Haemost 73:29-34

Poort SR, Rosendaal FR, Reitsma PH, Bertina R. (1996)

A common genetic variation in the 3'-untranslated region of the prothrombin gene is associated with elevated plasma prothrombin levels and increase in venous thrombosis.

Blood 88:3698-3703

Richard C H (1994)

Neurological Syndroms associated with Antiphospholipid Antibodies.

Semin Thromb Hemost 20:46-54

Ridker P M, Hennekens C H M, Lindpainter K (1995)

Mutation in the gene coding for coagulation factor V and the risk of myocardial infarction, stroke, and venous thrombosis in apparently healthy men.

N Engl J Med 332:912-917

Saiki R K, Scharf S, Faloona F (1985)

Enzymatic amplification of beta-globin genomic sequences and restriction site analysis for diagnosis of sickle cell anaemia.

Science 230:1350-1354

Sambrook J, Fritsch E F, Maniatis T (1989)
Molecular cloning: A laboratory manual.
Cold Spring Harb Lab Press, New York

Schwarz S, Wetterling T (2002)
Alkohol und Schlaganfall.
Nervenarzt 73:719-728

Störk S, Angerer P (1997)
Hyperhomocysteinämie: ein neuer Risikofaktor für die Atherosklerose.
DMW 122:1-2

Tanne D, Triplett D A (1998)
Antiphospholipid-protein antibodies and ischemic stroke.
Stroke 29:1755-1758

Ticani A, Spatol L, Balestrieri G (1995)
β2GP-1 cofactor and anticardiolipin antibodies.
Isr J Med Sci 31:17-21

Toschi V, Motta A, Castelli C, Paraccini M L (1998)
High prevalence of antiphosphatidylinositol antibodies in young patients with cerebral ischemia of undetermined cause.
Stroke 29:1759-1764

Tripelett D A (1996)
Lupus anticoagulants/Antiphospholipid-protein antibodies: the great imposters.
Lupus 5:431-435

Tripelett D A (2002)
Antiphospholipid antibodies.
Arch Pathol Lab Med 126:1424-1429

Tuhim S, Jacob H. R (1999)

Elevated anticardiolipin antibody titer is a stroke risk factor in a multiethnic population independent of isotype or degree of positivity.

Stroke 30:1561-1565

Valder R A, Siquiera L H, Chiaparini L C, Coelho O R (1998)

Prevalence of the prothrombin gene variant 20210 G-A among patients with myocardial infarction.

Cardiovasc Res 37:42-45

Wahl D G, Guillemin F, de Maistre E, Perret-Guillaume C (1998)

Meta-analysis of the risk of venous thrombosis in individuals with antiphospholipid antibodies without underlying autoimmune disease or previous thrombosis.

Lupus 7:15-22

Wayne H Gilles, Croft Janet B, PhD (1998)

Total homocyst(e)ine concentration and the likelihood of nonfatal stroke results from the third national health and nutrition examination survey, 1988-1994.

Stroke 29:2473-2477

Weber R, Busch E (2005)

Thrombophilien bei Patienten mit ischämischem Schlaganfall.

Nervenarzt 76:193-201

Weih M, Müller-Nordhorn J (2004)

Risikofaktoren des ischämischen Schlaganfalls.

Nervenarzt 75:324-335

Weih M, Vetter B, Ziemer S, Mehraïn S (1998)

Increased rate of factor V Leiden mutation in patients with cerebral venous thrombosis.

J Neurol 245:149-152

Whisnant J P, Basord J R (1990)

Special report from the national institute of neurological disorders and stroke.

Stroke 21:637-676

Wilson W A, Gharavi A E (1999)

International consensus statement on preliminary classification criteria for definite antiphospholipid syndrome.

Arthritis Rheum 42:1309-1311

Wisloff F, Jacobsen E M (2003)

Laboratory diagnosis of the antiphospholipid syndrome.

Thromb Res 108:263-271

Zeiler K, Siostrzonek P, Lang W (1992)

Different risk factor profiles in young and elderly stroke patients with special reference to cardiac disorders.

J Clin Epidemiol 45:1383-1389

Zielinska J, Ryglewicz D, Wierzchowska E (1999)

Anticardiolipin antibodies are an independent risk factor for ischemic stroke.

Neurol Res 21:653-657
