

6. Literaturverzeichnis

1. Albirini A., Scalia G.M., Murray R.D., Chung M.K., McCarthy P.M., Griffin B.P., Arheart K.L., Klein A.L.
Left and right atrial transport function after the maze procedure for atrial fibrillation: an echocardiographic doppler follow-up study
J Am Soc Echocardiogr 1997; 10: 937-945

2. Allessie M.A., Kirchhof C.J.H.J., Konings K.T.S.
Unravelling the electrical mysteries of atrial fibrillation
Eur Heart J 1996; 17 (suppl C): 2-9

3. Allessie M., Boyden P.A., Camm A.J., Kléber A.G., Lab M.J., Legato M.J., Rosen M.R., Schwartz P.J., Spooner P.M., Van Wagoner D.R., Waldo A.L.
Pathophysiology and prevention of atrial fibrillation
Circulation 2001; 103: 769-777

4. Benjamin E.J., Wolf P.A., D'Agostino R.B., Silbershatz H., Kannel W.B., Levy D.
Impact of atrial fibrillation on the risk of death: The Framingham Heart Study.
Circulation 1998; 98: 946-952

5. Benussi S., Pappone C., Nascimbe S., Oreto G., Calderola A., Stefano P.L., Casati V., Alfieri O.
A simple way to treat chronic atrial fibrillation during mitral valve surgery: the epicardial radiofrequency approach.
Eur J Cardiothorac Surg 2001; 18: 182-6

6. Brignole M., Menozzi C., Gianfranchi L., Musso G., Mureddu R., Bottoni N., Lolli G.
Assessment of atrioventricular junction ablation and VVIR pacemaker versus pharmacological treatment in patients with heart failure and chronic atrial fibrillation: a randomized, controlled study
Circulation 1998; 98: 953-960

7. Chen M.C., Guo G.B.F., Chang J.P., Yeh K.H., Fu M.
Radiofrequency and cryoablation of atrial fibrillation in patients undergoing valvular fibrillation in patients undergoing valvular operations
Ann Thorac Surg 1998; 65: 1666-1672
8. Chen S.A., Hsieh M.H., Tai C.T., Tsai C.F., Prakash V.S., Yu W.C., Hsu T.L., Ding Y.A., Chang M.S.
Initiation of atrial fibrillation by ectopic beats originating from the pulmonary veins: electrophysiological characteristics, pharmacological responses, and effects of radiofrequency ablation
Circulation 1999; 100: 1879-1886
9. Chugh S.S., Blackshear J.L., Shen W.K., Hammill S.C., Gersh B.J.
Epidemiology and natural history of atrial fibrillation: clinical implications
J Am Coll Cardiol 2001; 37: 371-378
10. Connolly S.J.
Evidence-based analysis of amiodarone efficacy and safety
Circulation 1999; 100: 2025-2034
11. Cox J.L., Schuessler R.B., Boineau J.P.
The development of the maze procedure for the treatment of atrial fibrillation
Semin Thorac Cardiovasc Surg 2000; 12: 2-14
12. Cox J.L., Ad N., Palazzo T., Fitzpatrick S., Suyderhoud J.P., DeGroot K.W., Pirovic A., Lou H.C., Duvall W.Z., Young D.K.
Current status of the maze procedure for the treatment of atrial fibrillation
Semin Thorac Cardiovasc Surg 2000; 12: 15-19
13. Cox J.L., Ad N., Palazzo T., Fitzpatrick S., Suyderhoud J.P., DeGroot K.W., Pirovic E.A., Lou H.C., Duvall W.Z., Kim Y.D.
The maze-III procedure combined with valve surgery
Semin Thorac Cardiovasc Surg 2000; 12: 53-55

14. Cox J.L., Jaquiss R.D.B., Schuessler R.B., Boineau J.P.
Modification of the maze procedure for atrial flutter and atrial fibrillation. II.
Surgical technique of the maze III procedure
J Thorac Cardiovasc Surg 1995; 110: 485-495

15. Cox J.L., Boineau J.P., Schuessler R.B., Ferguson T.B.Jr., Cain M.E., Lindsay B.D., Corr P.B., Kater K.M., Lappas D.G.
Successful surgical treatment of atrial fibrillation. Review and clinical update
JAMA 1991; 266: 1976-1980

16. Cox J.L.
The surgical treatment of atrial fibrillation. IV. Surgical technique
J Thorac Cardiovasc Surg 1991; 101: 584-592

17. Cox J.L., Schuessler R.B., D'Agostino H.J. Jr., Stone C.M., Chang B.C., Cain M.E., Corr P.B., Boineau J.P.
The surgical treatment of atrial fibrillation. III. Development of a definitive surgical procedure
J Thorac Cardiovasc Surg 1991; 101: 569-583

18. Cox J.L., Canavan T.E., Schuessler R.B., Cain M.E., Lindsay B.D., Stone C., Smith P.K., Corr P.B., Boineau J.P.
The surgical treatment of atrial fibrillation. II. Intraoperative electrophysiologic mapping and description of the electrophysiologic basis of atrial flutter and atrial fibrillation
J Thorac Cardiovasc Surg 1991, 101: 406-426

19. Deneke T., Khargi K., Grewe P.H., von Dryander S., Kuschowitz F., Lawo T., Müller K.P., Laczkovics A., Lemke B.
Left atrial versus bi-atrial maze operation using intraoperatively cooled-tip radiofrequency ablation in patients undergoing open-heart surgery
J Am Coll Cardiol 2002; 39: 1644-1650

20. Erdogan A., Grumbrecht S., Carlsson J., Roederich H., Schulte B., Sperzel J., Berkowitsch A., Neuzner J., Pitschner H.F.
Homogeneity and diameter of linear lesions induced with multipolar ablation catheters: in vitro and in vivo comparison of pulsed versus continuous radiofrequency energy delivery
J Interv Card Electrophysiol 2000; 4: 655-661
21. Fang M.C., Chang Y., Hylek E.M., Rosand J., Greenberg S.M., Go A.S., Singer D.E.
Advanced age, anticoagulation intensity, and risk for intracranial hemorrhage among patients taking warfarin for atrial fibrillation
Ann Intern Med 2004; 141: 745-752
22. Feinberg M.S., Waggoner A.D., Kater K.M., Cox J.L., Lindsay B.D., Perez J.E.
Restoration of atrial function after the maze procedure for patients with atrial fibrillation. Assessment by Doppler echocardiography
Circulation 1994; 90 (5 Pt 2): II285-292
23. Flachskampf, Kursbuch Echokardiographie
Thieme 2004, Seite 50
24. Flegel K.M., Shipley M.J., Rose G.
Risk of stroke in non-rheumatic atrial fibrillation
Lancet 1987; 1: 526-529
25. Fuster V., Rydén L.E., Asinger R.W., Cannom D.S., Crijns H.J., Frye R.L., Halperin J.L., Kay G.N., Klein W.W., Lévy S., McNamara R.L., Prystowsky E.N., Wann L.S., Wyse D.G.
ACC/AHA/ESC guidelines for the management of patients with atrial fibrillation: executive summary. A report of the American College of Cardiology/ American Heart Association task force on practice guidelines and the European Society of Cardiology Committee for practice guidelines and policy conferences (committee to develop guidelines for the management of patients with atrial fibrillation)
Circulation 2001; 104: 2118-2150

26. Gillinov A.M., Sirak J., Blackstone E.H., McCarthy P.M., Rajeswaran J., Pettersson G., Sabik J.L. 3rd, Svensson L.G., Navia J.L., Cosgrove D.M. Marrouche N., Natale A.
The Cox maze procedure in mitral valve disease: predictors of recurrent atrial fibrillation
J Thorac Cardiovasc Surg 2005; 130 (6): 1653-1660
27. Go A.S., Hylek E.M., Phillips K.A., Chang Y., Henault L.E., Selby J.V., Singer D.E.
Prevalence of diagnosed atrial fibrillation in adults: national implications for rhythm management and stroke prevention: the AnTicoagulation and Risk Factors in Atrial Fibrillation (ATRIA) Study
JAMA 2001; 285: 2370-2375
28. Gottdiener J.S., Arnold A.M., Aurigemma G.P., Polak J.F., Tracy R.P., Kitzman D.W., Gardin J.M., Rutledge J.E., Boineau R.C.
Predictors of congestive heart failure in the elderly: The Cardiovascular Health Study
J Am Coll Card 2000; 35: 1628-1637
29. Grover F.L. and Edwards F.H.
Similarity between the STS and New York State databases for valvular heart disease
Ann Thorac Surg 2000; 70: 1143-1144
30. Güden M., Akpınar B., Sanisoğlu İ., Sağbaş E., Bayındır O.
Intraoperative saline-irrigated radiofrequency modified maze procedure for atrial fibrillation
Ann Thorac Surg 2002; 74: S1301-1306

31. Haïssaguerre M., Jaïs P., Shah D.C., Takahashi A., Hocini M., Quiniou G., Garrigue S., Le Moureaux A., Le Métayer P., Clémenty J.
Spontaneous initiation of atrial fibrillation by ectopic beats originating in the pulmonary veins
N Engl J Med 1998; 339: 659-666

32. Handa N., Schaff H.V., Morris J.J., Anderson B.J., Kopecky S.L., Enriquez-Sarano M.
Outcome of valve repair and the Cox maze procedure for mitral regurgitation and associated atrial fibrillation
J Thorac Cardiovasc Surg 1999; 118: 628-635

33. Hart R.G., Pearce L.A., Rothbart R.M., McAnulty J.H., Asinger R.W., Halperin J.L.
Stroke with intermittent atrial fibrillation: incidence and predictors during aspirin therapy. Stroke prevention in atrial fibrillation investigators
J Am Coll Cardiol 2000; 35: 183-187

34. Hart R.G., Benavente O., McBride R., Pearce L.
Antithrombotic therapy to prevent stroke in patients with atrial fibrillation: a meta-analysis
Ann Intern Med 1999; 131: 492-501

35. Hart R.G. and Halperin J.L.
Atrial fibrillation and thromboembolism: a decade of progress in stroke prevention
Ann Intern Med 1999; 131: 688-695

36. Hohnloser S.H., Kuck K.H., Lilienthal J.
Rhythm or rate control in atrial fibrillation – pharmacological intervention in atrial fibrillation (PIAF): a randomised trial
Lancet 2000; 356: 1789-1794

37. Hsu L.F., Jaïs P., Keane D., Wharton J.M., Deisenhofer I., Hocini M., Shah D.C., Sanders P., Scavée C., Weerasooriya R., Clémenty J., Haïssaguerre M.
Atrial fibrillation originating from persistent left superior vena cava
Circulation 2004; 109: 828-832
38. Imai K., Sueda T., Orihashi K., Watari M., Matsuura Y.
Clinical analysis of results of a simple left atrial procedure for chronic atrial fibrillation
Ann Thorac Surg 2001; 71: 577-581
39. Itoh T., Okamoto H., Nimi T., Morita S., Sawazaki M., Ogawa Y., Asakura T., Yasuura K., Abe T., Murase M.
Left atrial function after Cox's maze operation concomitant with mitral valve operation
Ann Thorac Surg 1995; 60: 354-359
40. Izumoto H., Kawazoe K., Kitahara H., Kamata J.
Operative results after the Cox/maze procedure combined with a mitral valve operation
Ann Thorac Surg 1998; 66: 800-804
41. Jørgensen H.S., Nakayama H., Reith J., Raaschou H.O., Olsen T.S.
Acute stroke with atrial fibrillation: The Copenhagen Stroke Study
Stroke 1996; 27: 1765-1769
42. Kamath S., Blann A.D., Chin B.S., Lip G.Y.
Platelet activation, haemorrheology and thrombogenesis in acute atrial fibrillation: a comparison with permanent atrial fibrillation
Heart 2003; 89: 1093-1095
43. Kannel W.B., Abbott R.D., Savage D.D., McNamara P.M.
Epidemiologic features of chronic atrial fibrillation: The Framingham Study
N Engl J Med 1982; 306: 1018-1022

44. Kannel W.B., Abbott R.D., Savage D.D., McNamara P.M.
Coronary heart disease and atrial fibrillation: The Framingham Study
Am Heart J 1983; 106: 389-396
45. Kerin N.Z., Faitel K., Naini M.
The efficiency of intravenous amiodarone for the conversion of chronic atrial fibrillation: amiodarone vs quinidine for conversion of atrial fibrillation
Arch Intern Med 1996; 156: 49-53
46. Khargi K., Deneke T., Haardt H., Lemke B., Grewe P.H., Müller K.P., Laczkovics A.
Saline-irrigated, cooled-tip radiofrequency ablation is an effective technique to perform the maze procedure
Ann Thorac Surg 2001; 72: S1090-1095
47. Khargi K., Lemke B., Haardt H., Müller K.P., Mügge A., Laczkovics A., Deneke T.
Concomitant anti-arrhythmia surgery, using irrigated-cooled-tip radiofrequency ablation, to treat chronic permanent AF in CABG patients; expansion of the indication?
Eur J Cardiothorac Surg 2004; 25: 1018-1024
48. Khargi K., Lemke B., Deneke T.
Concomitant anti-arrhythmic procedures to treat permanent atrial fibrillation in CABG and AVR patients are as effective as in mitral valve patients
Eur J Cardiothoracic Surg 2005; 27: 841-846
49. Knaut M., Tugtekin S.M., Spitzer S., Gulielmos V.
Combined atrial fibrillation and mitral valve surgery using microwave technology
Semin Thorac Cardiovasc Surg 2002; 14: 226-231
50. Kondo N., Takahashi K., Minakawa M., Daitoku K.
Left atrial maze procedure: a useful addition to other corrective operations
Ann Thorac Surg 2003; 75: 1490-1494

51. Kosakai Y., Kawaguchi A.T., Isobe F., Sasako Y., Nakano K., Eishi K., Kito Y, Kawashima Y.
Modified maze procedure for patients with atrial fibrillation undergoing simultaneous open heart surgery
Circulation 1995; 92 (9 Suppl): II359-364

52. Kosakai Y., Kawaguchi A.T., Isobe F., Sasako Y., Nakano K., Eichi K., Tanaka N., Kito Y., Kawashima Y.
Cox maze procedure for chronic atrial fibrillation associated with mitral valve disease
J Thorac Cardiovasc Surg 1994; 108: 1049-1054

53. Krahn A.D., Manfreda J., Tate R.B., Mathewson F.A.L., Cuddy T.E.
The natural history of atrial fibrillation: incidence, risk factors, and prognosis in the Manitoba follow-up study
Am J Med 1995; 98: 476-484

54. Kühlkamp V., Schirdewan A., Stangl K., Homberg M., Ploch M., Beck O.A.
Use of metoprolol CR/XL to maintain sinus rhythm after conversion from persistent atrial fibrillation: a randomized, double-blind, placebo-controlled study
J Am Coll Cardiol 2000; 36: 139-146

55. Letho M., Snapinn S., Dickstein K., Swedberg K., Nieminen M.S.
Prognostic risk of atrial fibrillation in acute myocardial infarction complicated by left ventricular dysfunction: the OPTIMAAL experience
Eur Heart J 2005; 26: 350-356

56. Levy P.S.
Atrial Fibrillation during mitral valve surgery using the Medtronic Cardioblate® irrigated radiofrequency system
Operative Techniques in Thoracic and Cardiovascular Surgery: A comparative atlas, 2004; 9: 40

57. Lim E., Barlow C.W., Hosseinpour A.R., Wisbey C., Wilson K., Pidgeon W., Charman S., Barlow J.B., Wells F.C.
Influence of atrial fibrillation on outcome following mitral valve repair
Circulation 2001; 104 [suppl 1]: 159-63
58. Lundstöm T. und Rydén L.
Ventricular rate control and exercise performance in chronic atrial fibrillation: effects of diltiazem and verpamil
J Am Coll Cardiol 1990; 16: 86-90
59. Maessen J.G., Nijs J.F., Smeets J.L., Vainer J., Mochtar B.
Beating-heart surgical treatment of atrial fibrillation with microwave ablation
Ann Thorac Surg 2002; 74: S1307-1311
60. Marui A., Takeshi N., Keiichi T., Yoshiaki S., Takeshi S., Masahiko N., Tadashi I., Masashi K.
A novel atrial volume reduction technique to enhance the Cox maze procedure: Initial results
J Thorac Cardiovasc Surg 2006; 132 (5): 1047-1053
61. McCarthy P.M., Gillinov A.M., Castle L., Chung M., Cosgrove D. 3rd
The Cox-maze procedure: the Cleveland clinic experience
Semin Thorac Cardiovasc Surg 2000; 12: 25-29
62. Melo J., Adragão P., Neves J., Ferreira M., Timóteo A., Santiago T., Ribeiras R., Canada M.
Endocardial and epicardial radiofrequency ablation in the treatment of atrial fibrillation with a new intra-operative device
Eur J Cardiothorac Surg 2000; 18: 182-186

63. Mittal S., Ayati S., Stein K.M., Schwartzman D., Cavlovich D., Tchou P.J., Markowitz S.M., Slotwiner D.J., Scheiner M.A., Lerman B.B.
Transthoracic Cardioversion of atrial fibrillation: comparison of rectilinear biphasic versus damped sine wave monophasic shocks
Circulation 2000; 101: 1282-1287
64. Morillo C.A., Klein G.J., Jones D.L., Guiraudon C.M.
Chronic rapid atrial pacing: Structural, functional, and electrophysiological characteristics of a new model of sustained atrial fibrillation
Circulation 1995; 91: 1588-1595
65. Muraki S., Tsukamoto M., Kobayashi T., Fukada J., Morishita K., Abe T.
Preserved atrial response to dobutamine stress after the modified maze procedure or chronic atrial fibrillation: echocardiographic assessment of atrial function
J Card Surg 2002; 17: 148-154
66. Nakajima H., Kobayashi J., Bando K., Niwaya K., Tagusari O., Sasako Y., Nakatani T, Kitamura S.
The effect of cryo-maze procedure on early and intermediate term outcome in mitral valve disease: case matched study
Circulation 2002; 106 (Suppl 1): I46-50
67. Pasic M., Bergs P., Müller P., Hofmann M., Grauhan O., Kuppe H., Hetzer R.
Intraoperative radiofrequency maze ablation for atrial fibrillation: The Berlin Modification
Ann Thorac Surg 2001; 72: 1484-1491
68. Patwardhan A.M., Dave H.H., Tarnhane A.A., Pandit S.P., Dalvi B.V., Golam K., Kaul A., Chaukar A.P.
Intraoperative radiofrequency microbipolar coagulation to replace incisions of maze III procedure for correcting atrial fibrillation in patients with rheumatic valvular disease
Eur J Cardiothorac Surg 1997; 12: 627-633

69. Pedersen O.D., Bagger H., Kober L., Torp-Pedersen C.
Trandolapril reduces the incidence of atrial fibrillation after acute myocardial infarction in patients with left ventricular dysfunction
Circulation 1999; 100: 376-380
70. Peuhkurinen K., Niemelä M., Ylitalo A., Linnaluoto M., Lilja M., Juvonen J.
Effectiveness of amiodarone as a single oral dose for recent-onset atrial fibrillation
Am J Cardiol 2000; 85: 462-465
71. Psaty B.M., Manolio T.A., Kuller L.H., Kronmal R.A., Cushman M, Fried L.P., White R., Furberg C.D., Rautaharju P.M.
Incidence of and risk factors for atrial fibrillation in older adults
Circulation 1997; 96: 2455-2461
72. Ravelli F., Allessie M.
Effects of atrial dilatation on refractory period and vulnerability to atrial fibrillation in the isolated Langendorff-perfused rabbit heart
Circulation 1997; 96: 1686-1695
73. Roy D., Talajic M., Dorian P., Connolly S., Eisenberg M.J., Green M., Kus T., Lambert J., Dubuc M., Gagne P., Nattel S., Thibault B.
Amiodarone to prevent recurrence of atrial fibrillation. Canadian trial of atrial fibrillation investigators
N Engl J Med 2000; 342: 913-920
74. Schaff H.V., Dearani J.A., Daly R.C., Orszulak T.A., Danielson G.K.
Cox-maze procedure for atrial fibrillation: Mayo clinic experience
Semin Thorac Cardiovasc Surg 2000; 12: 30-37
75. Schrickel J.W., Schwab J.O., Yang A., Bielik H., Bitzen A., Luderitz B., Lewalter T.
Pro-arrhythmic effects of amiodarone and concomitant rate-control medication
Europace 2006; 8: 403-407

76. Schrickel J.W., Schwab J.O., Yang A., Bitzen A., Luderitz B., Lewalter T.
„Torsade de pointes“ in patients with structural heart disease and atrial fibrillation treated with amiodarone, beta-blockers, and digitalis
Pacing Clin Electrophysiol 2006; 29: 363-366
77. Sie H.T., Beukema W.P., Misier A.R., Elvan A., Ennema J.J., Haalebos M.M., Wellens H.J.
Radiofrequency modified maze in patients with atrial fibrillation undergoing concomitant cardiac surgery
J Thorac Cardiovasc Surg 2001; 122: 249-156
78. Sie H.T., Beukema W.P., Ramdat Misier A.R., Elvan A., Ennema J.J., Wellens H.J.
The radiofrequency modified maze procedure. A less invasive surgical approach to atrial fibrillation during open-heart surgery
Eur J Cardiothorac Surg 2001; 19: 443-447
79. Singh B.N., Singh S.N., Reda D.J., Tang X.C., Lopez B., Harris C.L., Fletcher R.D., Sharma S.C., Atwood J.E., Jacobson A.K., Lewis H.D. Jr., Raisch D.W., Ezekowitz M.D.; Sotalol Amiodarone Atrial Fibrillation Efficacy Trial (SAFE-T) Investigators
Amiodarone versus Sotalol for atrial fibrillation
N Engl J Med 2005; 532: 1861-1872
80. Stenestrand U., Landbäck J., Wallentin L.
Anticoagulation therapy in atrial fibrillation in combination with acute myocardial infarction influences long-term outcome: a prospective cohort study from the Register of Information and Knowledge about Swedish Heart Intensive care Admission (RIKS-HIA)
Circulation 2005; 112: 3225-3231

81. Suttorp M.J., Kingma J.H., Lie-A-Huen L., Mast E.G.
Intravenous flecainide versus verpamil for acute conversion of paroxysmal atrial fibrillation or flutter to sinus rhythm
Am J Cardiol 1989; 63: 693-696
82. Ueshima K., Hashimoto K., Chiba M., Nakamura M., Nasu M., Hiramori K., Kamata J., Yagi Y., Kawazoe K.
Recovery of atrial function after combined treatment with surgical repair for organic heart disease and maze procedure for atrial fibrillation
J Thorac Cardiovasc Surg 1997; 113: 214-215
83. Vermes E., Tardif J.C., Bourassa M.G., Racine N., Levesque S., White M., Guerra P.G., Ducharme A.
Enalapril decreases the incidence of atrial fibrillation in patients with left ventricular dysfunction: insight from the Studies Of Left Ventricular Dysfunction (SOLVD) trials
Circulation 2003; 107: 2926-2931
84. Wachtell K., Hornestam B., Letho M., Slotwiner D.J., Gerds E., Olsen M.H., Aurup P., Dahlof B., Ibsen H., Julius S., Kjeldsen S.E., Lindholm L.H., Nieminen M.S., Rokkedal J., Devereux R.B.
Cardiovascular morbidity and mortality in hypertensive patients with a history of atrial fibrillation: The Losartan Intervention For End Point Reduction in Hypertension (LIFE) study
J Am Coll Cardiol 2005; 45: 705-711
85. Wang T.J., Larson M.G., Levy D., Vasan R.S., Leip E.P., Wolf P.A., D'Agostino R.B., Murabito J.M., Kannel W.B., Benjamin E.J.
Temporal relations of atrial fibrillation and congestive heart failure and their joint influence on mortality: The Framingham Heart Study
Circulation 2003; 107: 2920-2925

86. Wijffels M.C.E.F., Kirchhof C.J.H.J., Dorland R., Allessie M.A.
Atrial fibrillation begets atrial fibrillation: a study in awake chronically instrumented goats
Circulation 1995; 92: 1954-1968
87. Williams J.M., Ungerleider R.M., Lofland G.K., Cox J.L.
Left atrial isolation: new technique for the treatment of supraventricular arrhythmias
J Thorac Cardiovasc Surg 1980; 80: 373-380
88. Wolf P.A., Dawber T.R., Thomas H.E., Kannel W.B.
Epidemiologic assessment of chronic atrial fibrillation and risk of stroke: The Framingham Study
Neurology 1978; 28: 973-977
89. Wolf P.A., Abbott R.D., Kannel W.B.
Atrial fibrillation: a major contributor to stroke in the elderly: The Framingham Study
Arch Intern Med 1987; 147: 1561-1564
90. Wolf P.A., Abbott R.D., Kannel W.B.
Atrial fibrillation as an independent risk factor for stroke: The Framingham Study
Stroke 1991; 22: 983-988
91. Wolf P.A., Mitchell J. B., Baker C.S., Kannel W.B., D'Agostino R.B.
Impact of atrial fibrillation on mortality, stroke, and medical costs
Arch Intern Med 1998; 158: 229-234
92. Wood M.A., Brown-Mahoney C., Kay G.N., Ellenbogen K.A.
Clinical outcomes after ablation and pacing therapy for atrial fibrillation: a meta-analysis
Circulation 2000; 101: 1138-1144

93. Wyse D.G., Waldo A.L., DiMarco J.P., Domanski M.J., Rosenberg Y., Schron E.B., Kellen J.C., Greene H.I., Mickel M.C., Dalquist J.E., Corley S.D.
The atrial fibrillation follow-up investigation of rhythm management (AFFIRM) investigators
A comparison of rate control and rhythm control in patients with atrial fibrillation
N Engl J Med 2002; 347: 1835-1833
94. Yuda S., Nakatani S., Kosakai Y., Satoh T., Goto Y., Yamagishi M., Bando K., Kitamura S., Miyatake K.
Mechanism of improvement in exercise after the maze procedure combined with mitral valve surgery
Heart 2004; 90: 64-69
95. Yuda S., Nakatani S., Kosakai Y., Yamagishi M., Miyatake K.
Long-term follow-up of atrial contraction after the maze procedure in patients with mitral valve disease
J Am Coll Cardiol 2001; 37: 1622-1627
96. Yuda S., Nakatani S., Kosakai Y., Miyatake K.
Comparative efficiency of the maze procedure for restoration of atrial contraction in patients with and without giant left atrium associated with mitral valve disease
J Am Coll Cardiol 1998; 31: 1097-1102